

ALL-ISLAND MARKET PARTICIPANT TRANSMISSION LOSS ADJUSTMENT FACTORS 2022-2023 - Market Participants

Market Participant Name	Unit ID	Market ID	Transmission Station	KV	Month																							
					October		November		December		January		February		March		April		May		June		July		August		September	
					Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Ardnacrusa 1 Generator Unit	AA1	GU 400200	ARDNACRUSHA	110	0.976	0.972	0.972	0.968	0.97	0.967	0.969	0.968	0.969	0.966	0.976	0.977	0.998	0.985	0.994	0.983	0.983	0.983	1.011	1.001	0.99	0.982	0.978	0.981
Ardnacrusa 2 Generator Unit	AA2	GU 400201	ARDNACRUSHA	110	0.976	0.972	0.972	0.968	0.97	0.967	0.969	0.968	0.969	0.966	0.976	0.977	0.998	0.985	0.994	0.983	0.983	0.983	1.011	1.001	0.99	0.982	0.978	0.981
Ardnacrusa 3 Generator Unit	AA3	GU 400202	ARDNACRUSHA	110	0.976	0.972	0.972	0.968	0.97	0.967	0.969	0.968	0.969	0.966	0.976	0.977	0.998	0.985	0.994	0.983	0.983	0.983	1.011	1.001	0.99	0.982	0.978	0.981
Ardnacrusa 4 Generator Unit	AA4	GU 400203	ARDNACRUSHA	110	0.976	0.972	0.972	0.968	0.97	0.967	0.969	0.968	0.969	0.966	0.976	0.977	0.998	0.985	0.994	0.983	0.983	0.983	1.011	1.001	0.99	0.982	0.978	0.981
AGHADA CT11 Generator Unit	AT1	GU 400181	AGHADA B	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973
AGHADA CT12 Generator Unit	AT2	GU 400182	AGHADA B	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973
Aghada BESS	AD3	GU 403560	AGHADA B	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973
AGHADA CT14 Generator Unit	AT4	GU 400183	AGH AT14	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973
ESB Arklow Bank	ARB	GU 401020	ARKLOW	110	0.994	0.995	0.993	0.996	0.993	0.995	0.994	0.996	0.993	0.995	0.994	0.996	1.011	0.996	1.007	0.997	0.994	0.997	1.02	1.013	1.005	0.998	0.994	0.998
Raheenleagh	RL1	GU 401940	ARKLOW	110	0.994	0.995	0.993	0.996	0.993	0.995	0.994	0.996	0.993	0.995	0.994	0.996	1.011	0.996	1.007	0.997	0.994	0.997	1.02	1.013	1.005	0.998	0.994	0.998
Ballycumber Windfarm	YR1	GU 404460	ARKLOW	110	0.994	0.995	0.993	0.996	0.993	0.995	0.994	0.996	0.993	0.995	0.994	0.996	1.011	0.996	1.007	0.997	0.994	0.997	1.02	1.013	1.005	0.998	0.994	0.998
Athea Wind Farm	AH1	GU 401380	ATHEA	110	0.97	0.967	0.967	0.965	0.964	0.963	0.964	0.963	0.963	0.961	0.969	0.969	0.994	0.979	0.99	0.978	0.978	0.978	1.005	0.994	0.986	0.977	0.973	0.975
Beenasnuck and Tobertoren Windfarm	XT1	GU 404000	ATHEA	110	0.97	0.967	0.967	0.965	0.964	0.963	0.964	0.963	0.963	0.961	0.969	0.969	0.994	0.979	0.99	0.978	0.978	0.978	1.005	0.994	0.986	0.977	0.973	0.975
Beenasnuck and Tobertoren Battery	XT2	GU 404010	ATHEA	110	0.97	0.967	0.967	0.965	0.964	0.963	0.964	0.963	0.963	0.961	0.969	0.969	0.994	0.979	0.99	0.978	0.978	0.978	1.005	0.994	0.986	0.977	0.973	0.975
Sealrock 3 Generator Unit	SK3	GU 400120	AUGHINISH	110	0.963	0.959	0.96	0.957	0.957	0.954	0.957	0.955	0.956	0.953	0.966	0.965	0.992	0.976	0.983	0.969	0.974	0.973	1.001	0.989	0.979	0.968	0.966	0.966
Sealrock 4 Generator Unit	SK4	GU 400121	AUGHINISH	110	0.963	0.959	0.96	0.957	0.957	0.954	0.957	0.955	0.956	0.953	0.966	0.965	0.992	0.976	0.983	0.969	0.974	0.973	1.001	0.989	0.979	0.968	0.966	0.966
Boottigh Windfarm	BT1	GU 401720	BOOLTIGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
Boottigh 2 Wind Farm	BT2	GU 401730	BOOLTIGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
Lissacsey Windfarm	LY1	GU 403950	BOOLTIGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
Sorrell Island 1 Windfarm	SF1	GU 403800	BOOLTIGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
Sorrell Island 2 Windfarm	SF2	GU 404480	BOOLTIGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
Ballybane Generator Unit	BA1	GU 400650	BALLYLUCKEY	110	0.958	0.95	0.955	0.949	0.953	0.947	0.954	0.949	0.954	0.946	0.96	0.955	0.979	0.961	0.978	0.962	0.963	0.96	0.993	0.98	0.972	0.959	0.961	0.96
Ballybane Wind Farm Phase 2	BA2	GU 401790	BALLYLUCKEY	110	0.958	0.95	0.955	0.949	0.953	0.947	0.954	0.949	0.954	0.946	0.96	0.955	0.979	0.961	0.978	0.962	0.963	0.96	0.993	0.98	0.972	0.959	0.961	0.96
Ballybane Wind Farm Phase 3	BA3	GU 402010	BALLYLUCKEY	110	0.958	0.95	0.955	0.949	0.953	0.947	0.954	0.949	0.954	0.946	0.96	0.955	0.979	0.961	0.978	0.962	0.963	0.96	0.993	0.98	0.972	0.959	0.961	0.96
Curraghmore Hydro Plant	CM1	GU 401200	BALLYLUCKEY	110	0.958	0.95	0.955	0.949	0.953	0.947	0.954	0.949	0.954	0.946	0.96	0.955	0.979	0.961	0.978	0.962	0.963	0.96	0.993	0.98	0.972	0.959	0.961	0.96
Cordal 1 Windfarm	DL1	GU 402110	CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
Cordal 2 Windfarm	DL2	GU 402130	CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
Coollegreen Windfarm	OG1	GU 403920	CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
Scartaglen 1 Windfarm	ST1	GU 402250	CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
Scartaglen 2 Windfarm	ST2	GU 402260	CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
Clady Generating Station	CU1	GU 401190	BINBANE	110	0.975	0.965	0.976	0.966	0.977	0.968	0.975	0.966	0.978	0.97	0.976	0.967	0.991	0.966	0.989	0.966	0.975	0.964	1.002	0.978	0.984	0.963	0.974	0.962
Airoshin Generator Unit	MC1	GU 400610	BINBANE	110	0.975	0.965	0.976	0.966	0.977	0.968	0.975	0.966	0.978	0.97	0.976	0.967	0.991	0.966	0.989	0.966	0.975	0.964	1.002	0.978	0.984	0.963	0.974	0.962
Clogheravady WF 2	YV2	GU 404630	BINBANE	110	0.975	0.965	0.976	0.966	0.977	0.968	0.975	0.966	0.978	0.97	0.976	0.967	0.991	0.966	0.989	0.966	0.975	0.964	1.002	0.978	0.984	0.963	0.974	0.962
Barranafaddock Windfarm	BF1	GU 401810	BARRINMORE	110	0.972	0.967	0.968	0.966	0.966	0.964	0.968	0.966	0.967	0.963	0.974	0.973	0.992	0.977	0.991	0.978	0.976	0.976	1.007	0.998	0.985	0.976	0.975	0.977
Cloghoola Wind Farm	CL1	GU 401830	CLOGHBOOLA	110	0.968	0.965	0.965	0.963	0.963	0.961	0.963	0.961	0.962	0.959	0.968	0.967	0.993	0.977	0.988	0.976	0.977	0.976	1.003	0.992	0.985	0.975	0.971	0.973
Glanruddery 1 Windfarm	DA1	GU 404490	CLOGHBOOLA	110	0.968	0.965	0.965	0.963	0.963	0.961	0.963	0.961	0.962	0.959	0.968	0.967	0.993	0.977	0.988	0.976	0.977	0.976	1.003	0.992	0.985	0.975	0.971	0.973
Glanruddery 2 Windfarm	DA2	GU 404500	CLOGHBOOLA	110	0.968	0.965	0.965	0.963	0.963	0.961	0.963	0.961	0.962	0.959	0.968	0.967	0.993	0.977	0.988	0.976	0.977	0.976	1.003	0.99				

ALL-ISLAND MARKET PARTICIPANT TRANSMISSION LOSS ADJUSTMENT FACTORS 2022-2023 - Market Participants

Market Participant Name	Unit ID	Market ID	Transmission Station	KV	Month																									
					October		November		December		January		February		March		April		May		June		July		August		September			
					Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
Turlough Hill 4 Generator Unit	TH4	GU 400363	TURLOUGH HIL	220	0.995	1.002	0.995	1.002	0.995	1.002	0.995	1.002	0.995	1.002	0.994	1.001	0.995	1.001	1.013	1.003	1.008	1.003	0.997	1.003	1.022	1.018	1.007	1.003	0.996	1.003
Moanmore Windfarm Generator Unit	MMR	GU 400970	TULLBRACK	110	0.971	0.969	0.968	0.966	0.966	0.964	0.966	0.965	0.965	0.962	0.971	0.97	0.996	0.98	0.991	0.978	0.979	0.979	1.006	0.994	0.988	0.978	0.974	0.976	0.976	
Tullabrack Wind Farm	TK1	GU 402050	TULLBRACK	110	0.971	0.969	0.968	0.966	0.966	0.964	0.966	0.965	0.965	0.962	0.971	0.97	0.996	0.98	0.991	0.978	0.979	0.979	1.006	0.994	0.988	0.978	0.974	0.976	0.976	
Killala Windfarm	KF1	GU 403750	TAWNAGHMORE	110	0.97	0.953	0.97	0.954	0.964	0.951	0.964	0.951	0.964	0.951	0.964	0.949	0.973	0.946	0.969	0.944	0.956	0.943	0.982	0.958	0.964	0.942	0.955	0.942	0.942	0.955
Tawnaghmore Peaking 1 Generator Unit	TP1	GU 400780	TAWNAGHMORE	110	0.97	0.953	0.97	0.954	0.964	0.951	0.964	0.951	0.964	0.951	0.964	0.949	0.973	0.946	0.969	0.944	0.956	0.943	0.982	0.958	0.964	0.942	0.955	0.942	0.942	0.955
Tawnaghmore Peaking 3 Generator Unit	TP3	GU 400781	TAWNAGHMORE	110	0.97	0.953	0.97	0.954	0.964	0.951	0.964	0.951	0.964	0.951	0.964	0.949	0.973	0.946	0.969	0.944	0.956	0.943	0.982	0.958	0.964	0.942	0.955	0.942	0.942	0.955
Killala Battery	KF2	GU 404550	TAWNAGHMORE	110	0.97	0.953	0.97	0.954	0.964	0.951	0.964	0.951	0.964	0.951	0.964	0.949	0.973	0.946	0.969	0.944	0.956	0.943	0.982	0.958	0.964	0.942	0.955	0.942	0.942	0.955
Knockawarriga 2 Windfarm	KW2	GU 404290	TRIEEN	110	0.97	0.966	0.967	0.964	0.965	0.962	0.965	0.963	0.964	0.96	0.97	0.968	0.996	0.98	0.991	0.978	0.979	0.978	1.006	0.994	0.987	0.976	0.973	0.974	0.974	0.974
Cappawhite	CP1	GU 402150	CAUTEEN	110	0.976	0.97	0.973	0.968	0.971	0.967	0.972	0.968	0.971	0.966	0.976	0.974	0.996	0.98	0.993	0.979	0.98	0.978	1.009	0.997	0.989	0.978	0.977	0.977	0.977	0.977
Cappawhite B Windfarm	CP3	GU 402340	CAUTEEN	110	0.976	0.97	0.973	0.968	0.971	0.967	0.972	0.968	0.971	0.966	0.976	0.974	0.996	0.98	0.993	0.979	0.98	0.978	1.009	0.997	0.989	0.978	0.977	0.977	0.977	0.977
Garracummer Wind Farm Ltd	GM1	GU 401740	CAUTEEN	110	0.976	0.97	0.973	0.968	0.971	0.967	0.972	0.968	0.971	0.966	0.976	0.974	0.996	0.98	0.993	0.979	0.98	0.978	1.009	0.997	0.989	0.978	0.977	0.977	0.977	0.977
Glencow Windfarm	GU1	GU 401250	CAUTEEN	110	0.976	0.97	0.973	0.968	0.971	0.967	0.972	0.968	0.971	0.966	0.976	0.974	0.996	0.98	0.993	0.979	0.98	0.978	1.009	0.997	0.989	0.978	0.977	0.977	0.977	0.977
Glencarby Windfarm	GY1	GU 404470	CAUTEEN	110	0.976	0.97	0.973	0.968	0.971	0.967	0.972	0.968	0.971	0.966	0.976	0.974	0.996	0.98	0.993	0.979	0.98	0.978	1.009	0.997	0.989	0.978	0.977	0.977	0.977	0.977
Ballincollig Hill Generator Unit	BCW	GU 401000	TRALEE	110	0.971	0.965	0.968	0.963	0.965	0.961	0.966	0.962	0.965	0.96	0.971	0.968	0.994	0.977	0.99	0.976	0.977	0.976	1.005	0.992	0.985	0.973	0.972	0.972	0.972	0.972
Muingnaminnane Generator Unit	MU1	GU 400960	TRALEE	110	0.971	0.965	0.968	0.963	0.965	0.961	0.966	0.962	0.965	0.96	0.971	0.968	0.994	0.977	0.99	0.976	0.977	0.976	1.005	0.992	0.985	0.973	0.972	0.972	0.972	0.972
Tursilagh Windfarm	TUR	GU 403830	TRALEE	110	0.971	0.965	0.968	0.963	0.965	0.961	0.966	0.962	0.965	0.96	0.971	0.968	0.994	0.977	0.99	0.976	0.977	0.976	1.005	0.992	0.985	0.973	0.972	0.972	0.972	0.972
Cnoc Windfarms	AC1	GU 401670	THURLES	110	0.984	0.977	0.982	0.977	0.982	0.977	0.983	0.978	0.982	0.976	0.985	0.982	1.003	0.984	0.999	0.983	0.986	0.982	1.015	1.001	0.996	0.983	0.984	0.982	0.982	0.982
Ballyboy Wind Farm	BS1	GU 402140	THURLES	110	0.984	0.977	0.982	0.977	0.982	0.977	0.983	0.978	0.982	0.976	0.985	0.982	1.003	0.984	0.999	0.983	0.986	0.982	1.015	1.001	0.996	0.983	0.984	0.982	0.982	0.982
Beam Hill Wind Farm	BM1	GU 403780	TRILLICK	110	0.971	0.957	0.973	0.959	0.975	0.962	0.973	0.96	0.975	0.964	0.972	0.96	0.988	0.956	0.986	0.955	0.971	0.953	0.999	0.967	0.98	0.953	0.971	0.952	0.952	0.952
Some Hill Generator Unit	SN1	GU 400550	TRILLICK	110	0.971	0.957	0.973	0.959	0.975	0.962	0.973	0.96	0.975	0.964	0.972	0.96	0.988	0.956	0.986	0.955	0.971	0.953	0.999	0.967	0.98	0.953	0.971	0.952	0.952	0.952
Silverveagh Power Ltd (Wind Unit)	SL1	GU 400671	TIPPERARY	110	0.979	0.973	0.976	0.972	0.975	0.971	0.976	0.972	0.975	0.97	0.98	0.977	0.999	0.982	0.996	0.981	0.983	0.98	1.012	1	0.992	0.98	0.98	0.979	0.979	0.979
Silverveagh Power Phase II	SL2	GU 401460	TIPPERARY	110	0.979	0.973	0.976	0.972	0.975	0.971	0.976	0.972	0.975	0.97	0.98	0.977	0.999	0.982	0.996	0.981	0.983	0.98	1.012	1	0.992	0.98	0.98	0.979	0.979	0.979
Sieve Rushen 2 Wind Farm	SL2	GU 401460	TIPPERARY	110	0.979	0.973	0.976	0.972	0.975	0.971	0.976	0.972	0.975	0.97	0.98	0.977	0.999	0.982	0.996	0.981	0.983	0.98	1.012	1	0.992	0.98	0.98	0.979	0.979	0.979
Ballymartin Wind Farm Phase 1	BX1	GU 401710	WATERFORD	110	0.979	0.976	0.977	0.977	0.976	0.975	0.977	0.976	0.977	0.976	0.977	0.974	0.98	0.981	0.997	0.983	0.994	0.984	0.98	1.011	1.005	0.991	0.985	0.98	0.982	0.982
Ballymartin Wind Farm Phase 2	BX2	GU 401760	WATERFORD	110	0.979	0.976	0.977	0.977	0.976	0.975	0.977	0.976	0.977	0.976	0.977	0.974	0.98	0.981	0.997	0.983	0.994	0.984	0.98	1.011	1.005	0.991	0.985	0.98	0.982	0.982
Carnsore Point Generator Unit	CNS	GU 400470	WEXFORD	110	0.985	0.981	0.984	0.983	0.983	0.982	0.984	0.983	0.984	0.981	0.986	0.986	1.002	0.987	0.999	0.988	0.986	0.985	1.015	1.008	0.997	0.989	0.985	0.985	0.985	0.985
Richfield Generator Unit	RF1	GU 400800	WEXFORD	110	0.985	0.981	0.984	0.983	0.983	0.982	0.984	0.983	0.984	0.981	0.986	0.986	1.002	0.987	0.999	0.988	0.986	0.985	1.015	1.008	0.997	0.989	0.985	0.986	0.986	0.986
Cleanrath	YT1	GU 403810	COOMATAGGART	110	0.961	0.957	0.957	0.955	0.955	0.953	0.955	0.954	0.955	0.951	0.961	0.96	0.983	0.967	0.981	0.968	0.968	0.968	1.015	1.008	0.997	0.985	0.976	0.965	0.963	0.965
Grousemount Windfarm	GD1	GU 403790	COOMATAGGART	110	0.961	0.957	0.957	0.955	0.955	0.953	0.955	0.954	0.955	0.951	0.961	0.96	0.983	0.967	0.981	0.968	0.968	0.968	1.015	1.008	0.997	0.985	0.976	0.965	0.963	0.965
Woodhouse Wind Farm	WS1	GU 401680	WOODHOUSE	110	0.974	0.97	0.971	0.97	0.969	0.968	0.97	0.97	0.967	0.975	0.976	0.976	0.992	0.978	0.991	0.979	0.976	0.976	1.006	0.998	0.985	0.977	0.974	0.977	0.977	0.977
Aghada 2 Generator Unit	AD2	GU 400850	BOINGPOINT	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973	0.973	0.973
Knockalough WFPS	KU1	GU 403380	BRANNAKILLY	110	0.967	0.953	0.969	0.954	0.963	0.949	0.963	0.949	0.962	0.949	0.962	0.948	0.973	0.944	0.968	0.942	0.955	0.941	0.981	0.956	0.964	0.94	0.955	0.94	0.955	0.94
Oweninny Wind Farm	OY1	GU 403760	BRANNAKILLY	110	0.967	0.953	0.969	0.954	0.963	0.949	0.963	0.949	0.962	0.949	0.962	0.948	0.973	0.944	0.968	0.942	0.955	0.941	0.981	0.956	0.964	0.94	0.955	0.94	0.955	0.94
Boolyneagragh Windfarm	BJ1	GU 403770	BLIEVECALLAN	110	0.976	0.972	0.974	0.97	0.972	0.968	0.972	0.969	0.971	0.967	0.976	0.974	0.998	0.982	0.994	0.98	0.982	0.98	1.009	0.996	0.99	0.979	0.978	0.978	0.978	0.978
Knockalassa Windfarm	KD1	GU 403940	BLIEVECALLAN	110	0.976	0.972	0.974	0.97	0.972	0.968	0.972	0.969	0.971	0.967	0.976	0.974	0.998	0.982	0											

COMPRESSED ALL-ISLAND INDICATIVE TRANSMISSION LOSS ADJUSTMENT FACTORS 2022-2023																									
Station Name	kV	Month																							
		October		November		December		January		February		March		April		May		June		July		August		September	
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
ARDNACRUSHA	110	0.976	0.972	0.972	0.968	0.97	0.967	0.969	0.968	0.969	0.966	0.976	0.977	0.998	0.985	0.994	0.983	0.983	0.983	1.011	1.001	0.99	0.982	0.978	0.981
AGHADA	110	0.964	0.961	0.959	0.96	0.955	0.957	0.957	0.959	0.957	0.955	0.965	0.967	0.983	0.97	0.984	0.974	0.968	0.971	1.001	0.994	0.978	0.97	0.967	0.973
AGHADA	220	0.964	0.961	0.959	0.96	0.956	0.957	0.958	0.959	0.958	0.955	0.965	0.967	0.983	0.97	0.984	0.973	0.969	0.97	1.001	0.993	0.978	0.97	0.967	0.973
ARIGNA	110	0.986	0.981	0.987	0.981	0.986	0.982	0.986	0.981	0.986	0.982	0.986	0.981	1.003	0.981	1	0.98	0.987	0.98	1.013	0.994	0.996	0.98	0.986	0.979
AGANNYGAL	110	0.979	0.974	0.977	0.973	0.976	0.973	0.976	0.973	0.975	0.971	0.978	0.976	0.998	0.982	0.994	0.98	0.982	0.98	1.01	0.997	0.992	0.98	0.979	0.979
ARKLOW	110	0.994	0.995	0.993	0.996	0.993	0.995	0.994	0.996	0.993	0.995	0.994	0.996	1.011	0.996	1.007	0.997	0.994	0.997	1.02	1.013	1.005	0.998	0.994	0.998
ARKLOW	220	0.992	0.993	0.992	0.995	0.992	0.994	0.993	0.995	0.992	0.994	0.993	0.995	1.009	0.995	1.006	0.996	0.993	0.995	1.019	1.012	1.004	0.997	0.993	0.996
ATHEA	110	0.97	0.967	0.967	0.965	0.964	0.963	0.964	0.963	0.963	0.961	0.969	0.969	0.994	0.979	0.99	0.978	0.978	1.005	0.994	0.986	0.977	0.973	0.975	
ATHLONE	110	1	0.994	0.998	0.994	0.998	0.994	0.999	0.995	0.998	0.993	1	0.996	1.018	0.999	1.013	0.998	1	0.998	1.029	1.016	1.012	0.999	1	0.997
AUGHINISH	110	0.963	0.959	0.96	0.957	0.957	0.954	0.957	0.955	0.956	0.953	0.966	0.965	0.992	0.976	0.983	0.969	0.974	0.973	1.001	0.989	0.979	0.968	0.966	0.966
ARVA	110	1.003	0.998	1.004	0.999	1.006	1.001	1.005	1	1.006	1.002	1.003	0.998	1.017	0.993	1.014	0.992	1.001	0.991	1.026	1.004	1.011	0.991	1.002	0.991
BALLYVOUSKIL	110	0.963	0.96	0.96	0.958	0.957	0.956	0.958	0.957	0.957	0.954	0.964	0.963	0.986	0.97	0.984	0.97	0.97	0.969	0.999	0.988	0.979	0.968	0.966	0.968
BALLYVOUSKIL	220	0.965	0.961	0.961	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.987	0.971	0.985	0.971	0.971	0.97	1	0.989	0.98	0.969	0.968	0.969
ATHY	110	0.994	0.991	0.993	0.992	0.994	0.993	0.995	0.993	0.994	0.992	0.995	0.994	1.012	0.994	1.006	0.992	0.994	0.991	1.026	1.015	1.009	0.998	0.993	0.991
BALLYWATER	110	0.984	0.983	0.983	0.985	0.983	0.984	0.984	0.985	0.983	0.985	0.987	1.002	0.987	0.998	0.987	0.985	0.986	1.013	1.006	0.996	0.989	0.985	0.987	0.987
BOOLTIAGH	110	0.972	0.968	0.969	0.966	0.967	0.964	0.967	0.965	0.966	0.962	0.971	0.97	0.995	0.979	0.991	0.977	0.979	0.978	1.006	0.994	0.987	0.977	0.974	0.975
BALTRASNA	110	1.007	1.01	1.008	1.011	1.008	1.011	1.009	1.012	1.008	1.012	1.007	1.009	1.022	1.007	1.017	1.006	1.005	1.007	1.028	1.019	1.016	1.007	1.007	1.008
BALLYKICKEY	110	0.958	0.95	0.955	0.949	0.953	0.947	0.954	0.949	0.954	0.946	0.96	0.955	0.979	0.961	0.978	0.962	0.963	0.96	0.993	0.98	0.972	0.959	0.961	0.96
BALLYBEG	110	0.997	0.999	0.997	1	0.997	1	0.998	1.001	0.997	1	0.998	1	1.014	0.999	1.01	1	0.998	1	1.023	1.016	1.008	1.001	0.998	1.001
CORDAL	110	0.965	0.961	0.962	0.959	0.959	0.957	0.96	0.958	0.959	0.955	0.965	0.964	0.988	0.972	0.985	0.972	0.972	0.971	1	0.989	0.98	0.97	0.968	0.969
BLAKE	110	1.001	0.999	1.001	1.001	1.004	1.003	1.003	1.002	1.002	1.001	1.002	1	1.018	1	1.011	0.997	1	0.998	1.033	1.021	1.018	1.006	1	0.998
BLUNDELSTOWN	110	1.005	1.011	1.006	1.011	1.007	1.011	1.007	1.012	1.006	1.012	1.005	1.01	1.02	1.007	1.015	1.007	1.004	1.009	1.026	1.021	1.014	1.008	1.005	1.01
BINBANE	110	0.975	0.965	0.976	0.966	0.977	0.968	0.975	0.966	0.978	0.97	0.976	0.967	0.991	0.966	0.989	0.966	0.975	0.964	1.002	0.978	0.984	0.963	0.974	0.962
BARODA	110	1.001	0.998	1.001	1	1.004	1.003	1.003	1.001	1.002	1	1.001	1	1.018	0.999	1.011	0.996	0.999	0.996	1.034	1.022	1.019	1.006	1	0.997
BALLYDINE	110	0.983	0.977	0.981	0.978	0.98	0.977	0.981	0.978	0.98	0.976	0.984	0.983	1.002	0.985	0.999	0.985	0.985	0.983	1.015	1.004	0.995	0.985	0.984	0.983
BELLACORICK	110	0.968	0.953	0.969	0.954	0.963	0.949	0.963	0.949	0.963	0.949	0.963	0.948	0.973	0.945	0.969	0.943	0.955	0.942	0.981	0.956	0.964	0.941	0.955	0.94
BALLYRAGGETT	110													1.01	0.993	1.007	0.993	0.992	0.99	1.022	1.013	1.003	0.994	0.992	0.991
BANDON	110	0.97	0.964	0.967	0.963	0.965	0.961	0.966	0.963	0.966	0.959	0.973	0.97	0.99	0.974	0.99	0.976	0.975	0.973	1.006	0.995	0.984	0.972	0.973	0.974
BARRYMORE	110	0.972	0.967	0.968	0.966	0.966	0.964	0.968	0.966	0.967	0.963	0.974	0.973	0.992	0.977	0.991	0.978	0.976	0.976	1.007	0.998	0.985	0.976	0.975	0.977
BELCAMP	220	1.002	1.006	1.002	1.007	1.003	1.007	1.003	1.008	1.002	1.007	1.002	1.006	1.019	1.005	1.014	1.005	1.003	1.006	1.025	1.019	1.013	1.006	1.003	1.008
BUTLERSTOWN	110	0.979	0.975	0.977	0.977	0.976	0.975	0.977	0.976	0.976	0.974	0.98	0.981	0.997	0.983	0.994	0.983	0.98	0.981	1.011	1.004	0.991	0.985	0.979	0.981
DEENES	110	1.007	1.009	1.009	1.01	1.009	1.011	1.01	1.011	1.011	1.011	1.008	1.009	1.022	1.005	1.017	1.005	1.005	1.005	1.028	1.017	1.015	1.005	1.007	1.006
BRINNY	110	0.97	0.964	0.967	0.963	0.965	0.961	0.966	0.963	0.966	0.959	0.973	0.97	0.991	0.974	0.99	0.976	0.975	0.973	1.006	0.995	0.984	0.972	0.973	0.974
CLOGHBOOLA	110	0.968	0.965	0.965	0.963	0.963	0.961	0.963	0.961	0.962	0.959	0.968	0.967	0.993	0.977	0.988	0.976	0.977	0.976	1.003	0.992	0.985	0.975	0.971	0.973
BANOGE	110	0.99	0.989	0.989	0.991	0.989	0.99	0.99	0.991	0.989	0.989	0.99	0.992	1.007	0.992	1.003	0.993	0.99	0.992	1.017	1.01	1.001	0.994	0.99	0.993
BOGGERAGH	110	0.96	0.955	0.956	0.954	0.954	0.951	0.955	0.952	0.954	0.949	0.961	0.959	0.982	0.965	0.98	0.966	0.966	0.964	0.996	0.984	0.974	0.963	0.963	0.964
COOLDERRIG	110													1.02	1.006	1.015	1.007	1.004	1.008	1.028	1.02	1.014	1.007	1.005	1.009
CLONFAD	110													1.017	1.001	1.012	1	1	1.001	1.028	1.018	1.013	1.004	1.001	1.001
CLASHAVOON	110	0.964	0.959	0.96	0.957	0.957	0.955	0.958	0.956	0.958	0.953	0.964	0.963	0.985	0.969	0.984	0.97	0.97	0.968	1	0.988	0.978	0.967	0.967	0.968
CLASHAVOON	220	0.965	0.961	0.961	0.959	0.958	0.957	0.96	0.958	0.959	0.955	0.966	0.965	0.987	0.971	0.985	0.972	0.971	0.97	1.001	0.99	0.979	0.969	0.968	0.97
CLONKEEN	110	0.965	0.959	0.962	0.958	0.959	0.955	0.96	0.957	0.959	0.954	0.966	0.963	0.987	0.97	0.985	0.97	0.971	0.969	1	0.987	0.98	0.967	0.968	0.967
COOLROE	110	0.967	0.964	0.963	0.962	0.96	0.96	0.961	0.961	0.961	0.958	0.969	0.969	0.988	0.974	0.987	0.976	0.973	0.973	1.004	0.995	0.981	0.972	0.971	0.973
CORRERRY	110	0.984	0.978	0.985	0.978	0.984	0.979	0.984	0.978	0.984	0.98	0.984	0.978	1.001	0.979	0.998	0.978	0.985	0.977	1.011	0.991	0.994	0.977	0.984	0.976
CASHLA	110	0.981	0.979	0.98	0.977	0.978	0.975	0.978	0.975	0.977	0.974	0.98	0.978	1	0.984	0.996	0.982	0.984	0.983	1.01	0.997	0.992	0.981	0.981	0.98
CASHLA	220	0.982	0.98	0.981	0.979	0.979	0.977	0.979	0.977	0.978	0.976	0.981	0.98	1.001	0.985	0.997	0.983	0.985	0.984	1.011	0.998	0.993	0.983	0.982	0.982
CLAHANE	110	0.969	0.965	0.966	0.963	0.964	0.961	0.964	0.962	0.963	0.959	0.969	0.967	0.994	0.976	0.99	0.975	0.978	0.975	1.005	0.991	0.986	0.972	0.972	0.97
CASTLEBAR	110	0.983	0.97	0.983	0.971	0.979	0.967	0.979	0.967	0.978	0.966	0.979	0.967	0.993	0.969	0.989	0.967	0.976	0.966	1.002	0.98	0.984	0.965	0.975	0.965
CLONREEN	110	0.984	0.977	0.984	0.979</																				

COMPRESSED ALL-ISLAND INDICATIVE TRANSMISSION LOSS ADJUSTMENT FACTORS 2022-2023																											
Station Name	kV	Month																									
		October		November		December		January		February		March		April		May		June		July		August		September			
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
KNOCKRAHA	110	0.968	0.964	0.963	0.963	0.96	0.961	0.962	0.962	0.962	0.959	0.969	0.97	0.987	0.973	0.987	0.976	0.972	0.973	1.004	0.996	0.981	0.973	0.97	0.975		
KILBARRY	110	0.969	0.965	0.965	0.964	0.962	0.962	0.964	0.964	0.964	0.96	0.971	0.971	0.989	0.975	0.989	0.977	0.974	0.974	1.006	0.996	0.983	0.974	0.972	0.976		
KILTEEL	110	1.004	1.003	1.005	1.005	1.007	1.007	1.006	1.007	1.005	1.006	1.005	1.005	1.021	1.003	1.015	1.001	1.003	1.002	1.033	1.022	1.019	1.007	1.004	1.002		
REAMORE	110	0.97	0.964	0.967	0.962	0.964	0.96	0.965	0.961	0.964	0.958	0.97	0.966	0.991	0.976	0.988	0.974	0.975	0.974	1.002	0.991	0.983	0.972	0.97	0.97		
KILKENNY	110	0.987	0.983	0.986	0.986	0.986	0.984	0.987	0.985	0.987	0.983	0.989	0.989	1.008	0.991	1.005	0.991	0.99	0.989	1.021	1.011	1.001	0.992	0.991	0.99		
KILLONAN	110	0.975	0.972	0.972	0.969	0.97	0.967	0.97	0.969	0.97	0.966	0.976	0.976	0.997	0.983	0.994	0.982	0.982	0.981	1.01	1	0.99	0.981	0.978	0.98		
KILLONAN	220	0.975	0.972	0.972	0.97	0.97	0.968	0.97	0.969	0.97	0.967	0.976	0.976	0.997	0.983	0.994	0.982	0.982	0.981	1.01	1	0.99	0.981	0.978	0.98		
KNOCKEARAGH	110	0.969	0.963	0.966	0.961	0.963	0.959	0.964	0.96	0.963	0.957	0.969	0.966	0.992	0.974	0.989	0.974	0.975	0.973	1.004	0.99	0.984	0.971	0.971	0.971		
KNOCKUMBER	110	1.008	1.008	1.009	1.008	1.01	1.01	1.01	1.009	1.01	1.01	1.008	1.007	1.022	1.003	1.018	1.002	1.006	1.002	1.03	1.015	1.016	1.002	1.007	1.002		
BALLYNAHULLA	110	0.965	0.962	0.962	0.96	0.959	0.958	0.96	0.959	0.959	0.956	0.966	0.965	0.989	0.972	0.986	0.972	0.973	0.972	1.001	0.989	0.981	0.97	0.968	0.97		
BALLYNAHULLA	220	0.966	0.962	0.962	0.96	0.96	0.958	0.961	0.959	0.96	0.956	0.966	0.965	0.989	0.973	0.986	0.973	0.973	0.972	1.001	0.99	0.981	0.971	0.969	0.97		
KELLIS	110	0.988	0.988	0.987	0.989	0.986	0.988	0.987	0.989	0.986	0.987	0.989	0.986	0.991	1.006	0.991	1.003	0.991	0.99	1.018	1.01	1.001	0.993	0.989	0.99		
KELLIS	220	0.988	0.988	0.987	0.989	0.986	0.988	0.987	0.989	0.986	0.987	0.989	0.986	0.991	1.006	0.991	1.002	0.991	0.989	0.99	1.017	1.01	1	0.993	0.988	0.991	
KELLYTOWN	220	1	1.004	1.001	1.005	1.001	1.004	1.001	1.004	1	1.004	1	1.003	1.016	1.003	1.011	1.002	1.001	1.004	1.024	1.016	1.011	1.003	1.001	1.004		
KINNEGAD	110	1.005	1.005	1.005	1.006	1.007	1.008	1.007	1.007	1.006	1.007	1.005	1.005	1.017	1.002	1.012	1	1	1.001	1.028	1.019	1.014	1.004	1.001	1.001		
KILLOTTERAN	110	0.979	0.976	0.977	0.977	0.976	0.975	0.977	0.976	0.977	0.974	0.98	0.981	0.997	0.983	0.994	0.984	0.981	0.981	1.011	1.005	0.991	0.985	0.98	0.982		
KILPADDAGE	110	0.971	0.969	0.968	0.966	0.965	0.964	0.965	0.964	0.964	0.964	0.962	0.97	0.97	0.996	0.981	0.991	0.979	0.98	1.007	0.996	0.988	0.979	0.974	0.977		
KILPADDAGE	220	0.972	0.97	0.969	0.968	0.967	0.966	0.967	0.966	0.966	0.964	0.971	0.971	0.997	0.982	0.992	0.98	0.981	0.981	1.007	0.997	0.989	0.98	0.975	0.978		
CASTLEBAGOT	220	1.001	1.005	1.001	1.005	1.002	1.005	1.002	1.006	1.001	1.005	1.002	1.004	1.018	1.004	1.013	1.004	1.002	1.005	1.026	1.019	1.013	1.005	1.002	1.006		
COOLNANOONAG	110	0.971	0.969	0.968	0.966	0.965	0.964	0.965	0.964	0.964	0.964	0.962	0.97	0.97	0.996	0.981	0.991	0.979	0.98	1.007	0.996	0.988	0.979	0.974	0.977		
LANESBORO	110	0.998	0.993	0.998	0.993	0.998	0.994	0.998	0.994	0.998	0.994	0.998	0.994	0.998	0.994	1.016	0.997	1.011	0.995	0.999	0.995	1.026	1.011	1.01	0.996	0.999	0.994
LOUTHA	110	1.002	1.002	1.004	1.002	1.006	1.004	1.005	1.003	1.006	1.005	1.002	1	1.016	0.996	1.013	0.995	0.999	0.995	1.024	1.007	1.01	0.995	1.001	0.995		
LOUTH	220	1.001	1	1.003	1	1.004	1.002	1.003	1.001	1.004	1.003	1.001	0.998	1.015	0.994	1.011	0.993	0.998	0.993	1.023	1.005	1.009	0.993	1	0.992		
LIMERICK	110	0.976	0.972	0.972	0.969	0.97	0.967	0.97	0.968	0.97	0.966	0.977	0.976	0.999	0.985	0.995	0.982	0.983	0.983	1.011	1.001	0.991	0.981	0.978	0.98		
LISDRUM	110	1.008	1.003	1.01	1.004	1.012	1.007	1.011	1.006	1.012	1.008	1.008	1.003	1.022	0.997	1.018	0.996	1.005	0.995	1.03	1.008	1.015	0.995	1.007	0.995		
DERRYCARNEY	110	0.993	0.989	0.992	0.989	0.993	0.99	0.993	0.99	0.992	0.988	0.994	0.991	1.011	0.993	1.006	0.991	0.994	0.991	1.024	1.012	1.007	0.995	0.993	0.991		
LETTERKENNY	110	0.979	0.969	0.98	0.97	0.982	0.972	0.98	0.971	0.983	0.975	0.98	0.971	0.995	0.967	0.994	0.967	0.979	0.965	1.007	0.979	0.988	0.965	0.978	0.964		
LENALEA	110														0.994	0.967	0.993	0.967	0.978	0.965	1.006	0.979	0.987	0.964	0.977	0.963	
LISHEEN	110	0.98	0.972	0.979	0.972	0.978	0.972	0.979	0.973	0.979	0.971	0.982	0.976	0.999	0.979	0.995	0.978	0.982	0.976	1.011	0.996	0.992	0.978	0.981	0.976		
CUREENY T	110	0.974	0.97	0.971	0.967	0.968	0.966	0.969	0.967	0.968	0.965	0.975	0.974	0.996	0.981	0.993	0.98	0.981	0.98	1.009	0.998	0.989	0.979	0.977	0.978		
LODGEWOOD	110	0.984	0.983	0.983	0.985	0.983	0.984	0.984	0.985	0.983	0.983	0.985	0.987	1.002	0.987	0.998	0.988	0.985	0.986	1.013	1.007	0.996	0.989	0.985	0.987		
LODGEWOOD	220	0.985	0.984	0.984	0.986	0.984	0.985	0.985	0.986	0.984	0.984	0.986	0.988	1.003	0.988	0.999	0.989	0.986	0.988	1.014	1.008	0.997	0.99	0.986	0.988		
AUNGIERSTOWN	110	1.002	1.005	1.002	1.006	1.002	1.006	1.003	1.006	1.002	1.006	1.002	1.005	1.019	1.005	1.014	1.005	1.002	1.006	1.027	1.019	1.013	1.006	1.003	1.007		
MACETOWN	110	1.005	1.01	1.006	1.011	1.006	1.011	1.007	1.012	1.006	1.011	1.006	1.01	1.021	1.008	1.016	1.008	1.005	1.01	1.027	1.022	1.015	1.009	1.006	1.011		
MIDLETON	110	0.969	0.965	0.965	0.964	0.962	0.962	0.964	0.964	0.963	0.96	0.971	0.971	0.989	0.976	0.989	0.978	0.974	0.975	1.006	0.998	0.983	0.975	0.972	0.977		
MEATH HILL	110	1.005	1.003	1.007	1.004	1.008	1.006	1.008	1.006	1.008	1.007	1.005	1.002	1.019	0.997	1.015	0.996	1.002	0.996	1.027	1.008	1.012	0.996	1.004	0.996		
MAYNOOTH A	110	1.001	1.004	1.001	1.005	1.002	1.005	1.002	1.006	1.001	1.005	1.001	1.004	1.018	1.003	1.013	1.003	1.001	1.004	1.026	1.019	1.013	1.005	1.001	1.005		
MAYNOOTH B	220	1	1.003	1	1.003	1	1.003	1	1.004	1	1.003	1	1.002	1.017	1.002	1.012	1.002	1	1.003	1.025	1.017	1.011	1.003	1	1.004		
MACROOM	110	0.964	0.959	0.96	0.958	0.957	0.955	0.958	0.957	0.958	0.954	0.965	0.964	0.986	0.969	0.984	0.97	0.97	0.968	1	0.988	0.978	0.967	0.967	0.968		
CARRIGDANGAN	110	0.96	0.954	0.956	0.953	0.954	0.951	0.955	0.953	0.954	0.95	0.961	0.959	0.981	0.964	0.979	0.965	0.965	0.963	0.995	0.983	0.974	0.962	0.962	0.963		
MONTEEN	110	0.973	0.97	0.97	0.967	0.968	0.965	0.968	0.966	0.967	0.964	0.975	0.974	0.998	0.984	0.993	0.98	0.982	0.981	1.009	0.999	0.989	0.979	0.976	0.978		
MNYPG1	380	0.975	0.974	0.972	0.971	0.97	0.97	0.97	0.97	0.969	0.967	0.974	0.974	0.999	0.984	0.994	0.983	0.984	1.009	0.999	0.991	0.983	0.977	0.981	0.981		
MONEYPOINT	110	0.971	0.969	0.968	0.967	0.966	0.965	0.966	0.965	0.965	0.962	0.97	0.97	0.996	0.981	0.992	0.979	0.98	0.98	1.007	0.996	0.988	0.979	0.974	0.977		
MONEYPOINT	220	0.972	0.971	0.969	0.968	0.967	0.966	0.967	0.966	0.966	0.964	0.972	0.972	0.997	0.982	0.993	0.981	0.981	1.008	0.997	0.989	0.98	0.975	0.978	0.978		
MARINA	110	0.969	0.965	0.965	0.964	0.962	0.962	0.964	0.964	0.964	0.96	0.971	0.971	0.989	0.975	0.989	0.977	0.974	0.974	1.006	0.997	0.983	0.974	0.972	0.976		
MUNGRET A	110	0.974	0.97	0.97	0.967	0.968	0.965	0.968	0.966	0.967	0.964	0.975	0.974	0.998	0.984	0.993	0.98	0.982	0.981	1.01	0.999	0.989	0.979	0.976	0.978		
MULLINGAR	110	1.009	1.008	1.01	1.009	1.011	1.011	1.011	1.011	1.01																	

COMPRESSED ALL-ISLAND INDICATIVE TRANSMISSION LOSS ADJUSTMENT FACTORS 2022-2023																									
Station Name	kV	Month																							
		October		November		December		January		February		March		April		May		June		July		August		September	
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
BALLYNAHINCH 1B	110	1.01	1.005	1.013	1.006	1.015	1.009	1.014	1.008	1.016	1.01	1.01	1.003	1.022	0.996	1.019	0.994	1.005	0.993	1.03	1.004	1.015	0.994	1.008	0.993
BELFAST NORTH MAIN 1A	110	1.005	1.002	1.008	1.002	1.01	1.006	1.009	1.004	1.01	1.007	1.004	0.998	1.016	0.992	1.013	0.99	0.999	0.989	1.024	1.001	1.01	0.99	1.003	0.989
BROCKAGHBOY	110	0.973	0.969	0.977	0.97	0.979	0.972	0.977	0.971	0.979	0.974	0.974	0.97	0.985	0.962	0.984	0.964	0.968	0.96	0.997	0.974	0.98	0.961	0.972	0.96
AGIVEY	110	0.974	0.97	0.978	0.97	0.979	0.973	0.978	0.972	0.979	0.975	0.974	0.97	0.986	0.963	0.984	0.965	0.969	0.96	0.997	0.974	0.981	0.961	0.972	0.96
CARNMONEY 1A	110	1.004	1.001	1.007	1	1.009	1.004	1.008	1.003	1.01	1.005	1.003	0.997	1.015	0.991	1.011	0.989	0.998	0.988	1.023	0.999	1.008	0.989	1.002	0.988
CASTLEREAGH 1A	110	1.005	1.002	1.009	1.002	1.01	1.005	1.009	1.004	1.011	1.006	1.005	0.999	1.017	0.993	1.014	0.991	1	0.99	1.026	1.002	1.011	0.991	1.004	0.99
CASTLEREAGH 2	275	1.002	0.999	1.005	0.999	1.006	1.002	1.005	1.001	1.007	1.003	1.001	0.996	1.014	0.99	1.01	0.989	0.997	0.988	1.022	0.999	1.007	0.988	1	0.987
CENTRAL 1A	110	1.006	1.002	1.009	1.003	1.011	1.006	1.01	1.004	1.011	1.007	1.006	0.999	1.018	0.993	1.014	0.992	1.001	0.99	1.026	1.002	1.011	0.991	1.004	0.99
COLERAINE	110	0.984	0.978	0.988	0.979	0.989	0.982	0.987	0.98	0.99	0.984	0.985	0.979	0.997	0.972	0.996	0.974	0.98	0.97	1.009	0.984	0.991	0.97	0.982	0.968
COOLKEERAGH	110	0.988	0.985	0.991	0.986	0.991	0.988	0.99	0.986	0.993	0.989	0.99	0.985	1.002	0.979	1.003	0.982	0.986	0.978	1.017	0.993	0.997	0.978	0.986	0.975
COOLKEERAGH	275	0.993	0.99	0.996	0.991	0.997	0.993	0.995	0.992	0.998	0.995	0.994	0.99	1.006	0.983	1.005	0.984	0.99	0.981	1.019	0.996	1.001	0.982	0.991	0.98
CREAGH	110	1.002	0.997	1.005	0.998	1.007	1.001	1.005	1	1.007	1.002	1.002	0.995	1.015	0.99	1.011	0.988	0.997	0.987	1.023	0.999	1.008	0.988	1.001	0.987
CREGAGH 1A	110	1.006	1.002	1.009	1.002	1.011	1.006	1.009	1.004	1.011	1.007	1.005	0.999	1.018	0.993	1.014	0.991	1	0.99	1.026	1.002	1.011	0.991	1.004	0.99
DONEGALL 1D	110	1.004	1.002	1.008	1.002	1.01	1.005	1.008	1.004	1.01	1.006	1.004	0.998	1.016	0.992	1.012	0.99	0.999	0.989	1.024	1	1.009	0.99	1.003	0.989
DROMORE	110	0.986	0.98	0.989	0.98	0.99	0.983	0.989	0.982	0.991	0.985	0.987	0.981	1	0.974	0.997	0.975	0.983	0.971	1.01	0.985	0.993	0.972	0.985	0.971
DRUMNAKELLY	110	1.003	0.999	1.005	1	1.007	1.003	1.006	1.001	1.007	1.004	1.002	0.997	1.016	0.992	1.012	0.991	0.999	0.99	1.024	1.002	1.009	0.991	1.001	0.99
CURRAGHAMULKIN	110	0.985	0.978	0.987	0.979	0.989	0.982	0.988	0.981	0.99	0.984	0.985	0.979	0.998	0.972	0.996	0.973	0.981	0.97	1.008	0.984	0.991	0.97	0.983	0.97
DUNGANNON 1A	110	0.997	0.994	1	0.994	1.001	0.997	1	0.995	1.002	0.998	0.997	0.992	1.011	0.987	1.007	0.986	0.994	0.984	1.02	0.997	1.004	0.985	0.996	0.984
EDEN 1A	110	1.002	0.999	1.004	0.998	1.007	1.002	1.006	1.001	1.007	1.003	1	0.995	1.012	0.989	1.008	0.987	0.995	0.986	1.02	0.997	1.006	0.987	0.999	0.986
ENNISKILLEN	110	0.99	0.981	0.992	0.982	0.994	0.985	0.993	0.984	0.995	0.987	0.991	0.983	1.003	0.976	1.001	0.977	0.986	0.973	1.013	0.987	0.996	0.974	0.988	0.973
FINAGHY 1A	110	1.004	1.001	1.007	1.001	1.009	1.005	1.008	1.003	1.01	1.006	1.003	0.998	1.015	0.992	1.012	0.99	0.998	0.989	1.024	1	1.009	0.99	1.002	0.989
GLENGORMLEY 1A	110	1.002	0.998	1.005	0.998	1.007	1.001	1.006	1	1.007	1.003	1.001	0.995	1.014	0.99	1.011	0.988	0.997	0.987	1.023	0.998	1.008	0.988	1.001	0.987
GORT	110	0.987	0.982	0.99	0.983	0.991	0.986	0.99	0.984	0.992	0.987	0.988	0.982	1.001	0.976	0.998	0.976	0.984	0.974	1.011	0.987	0.994	0.974	0.986	0.973
HANNAHSTOWN A	110	1.004	1.001	1.007	1.001	1.009	1.005	1.008	1.003	1.009	1.006	1.003	0.998	1.015	0.992	1.012	0.99	0.998	0.989	1.023	1	1.009	0.99	1.002	0.989
HANNAHSTOWN B	110	1.001	0.999	1.004	0.999	1.006	1.002	1.005	1.001	1.007	1.003	1.001	0.996	1.013	0.99	1.01	0.988	0.996	0.987	1.021	0.998	1.007	0.988	0.999	0.987
HANNAHSTOWN	275	1.001	0.999	1.004	0.999	1.006	1.002	1.005	1.001	1.007	1.003	1.001	0.996	1.013	0.99	1.01	0.988	0.996	0.987	1.021	0.998	1.007	0.988	0.999	0.987
KELLS 1	110	0.997	0.995	1.001	0.995	1.002	0.998	1.001	0.997	1.002	0.999	1.001	0.992	1.01	0.987	1.007	0.986	0.993	0.984	1.019	0.996	1.004	0.985	0.996	0.984
KELLS 2	275	0.998	0.996	1.001	0.996	1.002	0.999	1.001	0.997	1.003	1	0.997	0.993	1.01	0.988	1.007	0.986	0.993	0.985	1.019	0.997	1.004	0.986	0.996	0.984
KILLYMALLAGHT	110	0.985	0.981	0.988	0.982	0.988	0.984	0.987	0.982	0.99	0.985	0.986	0.982	0.999	0.975	1	0.978	0.983	0.974	1.013	0.989	0.993	0.974	0.983	0.971
KILROOT	275	0.998	0.996	1.001	0.996	1.002	0.999	1.001	0.997	1.002	1	0.997	0.993	1.011	0.988	1.008	0.987	0.994	0.985	1.02	0.997	1.005	0.986	0.997	0.985
KNOCK 1A	110	1.006	1.002	1.009	1.003	1.011	1.006	1.01	1.004	1.012	1.007	1.006	1	1.018	0.994	1.015	0.992	1.001	0.991	1.026	1.002	1.011	0.991	1.004	0.991
LARNE 1A	110	0.999	0.996	1.001	0.995	1.003	0.999	1.002	0.998	1.004	1	0.997	0.992	1.009	0.986	1.006	0.985	0.992	0.983	1.018	0.995	1.003	0.985	0.996	0.984
LIMAVADY	110	0.986	0.98	0.989	0.981	0.99	0.983	0.988	0.982	0.991	0.985	0.987	0.981	0.999	0.974	0.999	0.977	0.982	0.973	1.012	0.987	0.993	0.973	0.984	0.971
LISBURN 1A	110	1.005	1.002	1.008	1.002	1.01	1.006	1.009	1.004	1.011	1.007	1.004	0.999	1.016	0.993	1.013	0.991	0.999	0.99	1.024	1.001	1.01	0.991	1.003	0.99
LISAMORE 1A	110	0.989	0.985	0.992	0.987	0.992	0.988	0.991	0.987	0.994	0.99	0.991	0.986	1.004	0.981	1.005	0.983	0.988	0.979	1.018	0.994	0.998	0.979	0.987	0.976
LOGUESTOWN 1A	110	0.985	0.978	0.988	0.979	0.99	0.982	0.988	0.981	0.991	0.984	0.986	0.98	0.998	0.972	0.997	0.974	0.981	0.97	1.01	0.984	0.992	0.97	0.983	0.969
MAGHERAFELT	275	0.997	0.995	1	0.995	1.001	0.998	1	0.996	1.002	0.999	0.997	0.993	1.01	0.987	1.007	0.986	0.993	0.985	1.02	0.997	1.004	0.985	0.995	0.984
MAGHERAKEEL	110	0.976	0.971	0.979	0.971	0.98	0.974	0.979	0.973	0.981	0.976	0.977	0.972	0.989	0.965	0.987	0.967	0.973	0.963	1	0.977	0.983	0.963	0.974	0.963
MOYLE	275	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976
NEWTOWNARDS1B	110	1.007	1.003	1.011	1.004	1.012	1.007	1.011	1.006	1.013	1.008	1.007	1.001	1.019	0.994	1.016	0.993	1.002	0.991	1.028	1.003	1.013	0.992	1.006	0.991
NEWRY 1B	110	1.009	1.004	1.012	1.005	1.014	1.008	1.013	1.007	1.014	1.009	1.009	1.003	1.023	0.997	1.019	0.995	1.005	0.994	1.031	1.006	1.016	0.995	1.008	0.994
OMAGH	110	0.986	0.981	0.989	0.981	0.991	0.984	0.989	0.983	0.991	0.986	0.987	0.981	1	0.975	0.998	0.975	0.983	0.972	1.01	0.986	0.993	0.973	0.985	0.972
RASHARKIN	110	0.978	0.975	0.982	0.975	0.984	0.978	0.982	0.976	0.984	0.98	0.979	0.975	0.99	0.967	0.988	0.969	0.973	0.965	1.001	0.979	0.985	0.966	0.977	0.965
RATHGAEL B	110	1.009	1.004	1.013	1.005	1.014	1.008	1.013	1.007	1.015	1.01	1.009	1.002	1.021	0.996	1.018	0.994	1.004	0.993	1.029	1.004	1.015	0.993	1.008	0.992
ROSEBANK A	110	1.005	1.002	1.009	1.002	1.01	1.005	1.009	1.004	1.011	1.006	1.005	0.999	1.017	0.993	1.014	0.991	1	0.99	1.026	1.002	1.011	0.991	1.004	0.99
SLIEVE KIRK	110	0.983	0.979	0.986	0.98	0.986	0.981	0.985	0.98	0.987	0.983	0.984	0.98	0.997	0.973	0.998	0.976	0.98	0.972	1.011	0.988	0.991	0.971	0.979	0.968
SPRINGTOWN																									